

STORIE

Wish Collection

RAGNO 



RCGD Wish Yellow Semimatt 5x30cm

Wish

An artisanal gesture reinterpreted with contemporary measure takes shape in Wish, a porcelain stoneware collection with a soft, vibrant character. The range comes in White, Black, Green, Yellow, Light Blue, Petal and Brick, in the 5.3x30 size. The semi-matt surfaces, animated by irregular edges and subtle graphic variation, suggest original, dynamic layouts. Ideal for walls and floors, it brings rhythm, colour and delicate imperfection to spaces.



RA2Z Argent Avorio Strutturato 6 Mm 120x120cm - RCGA Wish White Semimatt 5x30cm - RCGF Wish Green Semimatt 5x30cm

Porcelain Stoneware




Black

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGH	Wish Black Semimatt	MM 10		 											34	0,54	11,34	80	43,25	906,86



Brick

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGE	Wish Brick Semimatt	MM 10		 											34	0,54	11,32	80	43,25	905,72



Green

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGF	Wish Green Semimatt	MM 10		 											34	0,54	11,27	80	43,25	901,38

WISH COLLECTION

WISH COLLECTION

Porcelain Stoneware



Light Blue

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGG	Wish Light Blue Semimatt	MM 10		 											34	0,54	11,21	80	43,25	897,08



Petal

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGC	Wish Petal Semimatt	MM 10		 											34	0,54	11,12	80	43,25	889,33




White

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGA	Wish White Semimatt	MM 10		 											34	0,54	11,42	80	43,25	913,37

WISH COLLECTION

WISH COLLECTION



Yellow

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGD	Wish Yellow Semimatt	MM 10		 											34	0,54	11,39	80	43,25	911,25

Technical Characteristics

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Color variations

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certifications



ISO 14001



ISO 50001



ISO 45001



ISO 9001



Green Building Council



GPP



EPD Italy



ISO 17889-1



Greenguard



LEED Credits



FDES



Declare



HPD



CCC




CE 009MRZI



UKCA 009MRZUK



SASO



© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 22/06/2026

RAGNO 